

**PUBLIC COMMENT SHEET**

Name: _____

Public Information Centre:

Address: _____

Monday, March 4th, 2019

7:00 p.m. – 9:00 p.m.

Postal Code: _____

Email: _____

The Township is undertaking a Municipal Class Environmental Assessment to identify the preferred method of providing additional water storage required to support future water demands for the remainder of the developable lands within the community boundary of Waldemar. R.J. Burnside & Associates Limited has been retained by the Township to review various alternatives. This questionnaire is your opportunity to comment on this study and indicate your concerns and preferences.

1. My interest is: (please check all that apply)☐ resident☐ agency representative☐ general interest☐ developer interest☐ other: _____**2. If you live in Waldemar and you obtain your water from a private well, do you have any interest in connecting to the Municipal Drinking Water System at some point?**☐ Yes, I do have interest in a future connection to the municipal water system.☐ No, I do not have any interest in a future connection.

NOTE: The purpose of this EA is to expand the water system to service new development only. However, this study allows us the opportunity to reach out to existing residents to confirm whether there is any interest in future connections, so we can properly consider the alternatives.

3. Comments/Questions/Suggestions (additional space on back of page):

The Township of Amaranth and R.J. Burnside & Associates Limited thank you for your involvement in the Municipal Class Environmental Assessment. Information will be collected in accordance with the *Municipal Freedom of Information and Protection of Privacy Act*. With the exception of personal information, all comments will become part of the public record and published with the final Project File Report.

